

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|------------------|
| L1 | 124374 | (382/232,233,234,235,236,238,243,244,245,246,247,248,251,252,253).CCLS. or (("348") or ("358") or ("380")).CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:07 |
| L2 | 20713 | 1 and transform\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:22 |
| L3 | 1361 | 2 and wavelet\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:07 |
| L4 | 928 | 3 and quantiz\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:21 |
| L5 | 878 | 4 and compression | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:22 |
| L6 | 792 | 5 and encod\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:09 |
| L7 | 531 | 6 and filter\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:09 |
| L8 | 439 | 7 and (detect\$4 or scan\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:23 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| L9 | 273 | 8 and (subband or sub-band) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:22 |
| L10 | 117 | 9 and (run near4 length or run-length) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:19 |
| L11 | 113 | 10 and stor\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:23 |
| L12 | 55 | 11 and intermediat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:18 |
| L13 | 55 | 12 and level\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:13 |
| L15 | 0 | 13 and datapacker\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:14 |
| L17 | 47 | 13 and (2D or two-dimension\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:16 |
| L18 | 4840 | pack\$4 near4 algorithm\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:23 |


| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| L19 | 89 | 18 and (run near4 length or run-length) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:21 |
| L20 | 37 | 19 and (coefficient\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:17 |
| L21 | 0 | 20 and (intermediat\$4 near4 level\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:18 |
| L22 | 39463 | (intermediat\$4 near4 level\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:19 |
| L23 | 93 | 18 and 22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:19 |
| L24 | 2 | 23 and (run near4 length or run-length) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:19 |
| L25 | 63 | 18 and (Huffman near4 cod\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:23 |
| L26 | 45 | 25 and quantiz\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:22 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| L27 | 9 | 26 and (run near4 length or run-length) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:21 |
| L28 | 5892 | 22 and transform\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:22 |
| L29 | 403 | 28 and quantiz\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:22 |
| L30 | 193 | 29 and compression | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:22 |
| L31 | 56 | 30 and (subband or sub-band) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:22 |
| L32 | 56 | 31 and stor\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:23 |
| L33 | 51 | 32 and (detect\$4 or scan\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:23 |
| L34 | 15 | 33 and (Huffman near4 cod\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:23 |

| | | | | | | |
|-----|---|-------------------------------------|---|----|-----|------------------|
| L35 | 0 | 34 and (pack\$4 near4 algorithm\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/09 18:24 |
|-----|---|-------------------------------------|---|----|-----|------------------|

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE


[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)
IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)
Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

 Your search matched **8** of **1108362** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering new one in the text box.

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 High performance wavelet image compression optimized for MSE and HVS metrics
Topiwala, P.;

Data Compression Conference, 1996. DCC '96. Proceedings, 31 March-3 April 1996

Pages:457

[\[Abstract\]](#) [\[PDF Full-Text \(56 KB\)\]](#) **IEEE CNF**
2 Speech compression using discrete wavelet transform
Najih, A.M.M.A.; bin Ramli, A.R.; Prakash, V.; Syed, A.R.;

Telecommunication Technology, 2003. NCTT 2003 Proceedings. 4th National Conference on, 14-15 Jan. 2003

Pages:1 - 4

[\[Abstract\]](#) [\[PDF Full-Text \(319 KB\)\]](#) **IEEE CNF**
3 Reduced dimension image compression and its applications
Kil, D.H.; Shin, F.B.;

Image Processing, 1995. Proceedings., International Conference on, Volume: 3, 23-26 Oct. 1995

Pages:500 - 503 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(464 KB\)\]](#) **IEEE CNF**
4 Reduced dimension image compression for remotely distributed underwater signal processing
Kil, D.H.; Frances Bongjoo Shin;

OCEANS '95. MTS/IEEE. 'Challenges of Our Changing Global Environment'. Conference Proceedings., Volume: 2, 9-12 Oct. 1995

Pages:1183 - 1188 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(536 KB\)\]](#) **IEEE CNF**

5 Lossy Lempel-Ziv on subband coding of images

Finamore, W.A.; de Carvalho, M.B.;

Information Theory, 1994. Proceedings., 1994 IEEE International Symposium on , 27 June-1 July 1994

Pages:415

[\[Abstract\]](#) [\[PDF Full-Text \(76 KB\)\]](#) **IEEE CNF**

6 A high-performance full-motion video compression chip set

Ruetz, P.A.; Tong, P.; Bailey, D.; Luthi, P.A.; Ang, P.H.;

Circuits and Systems for Video Technology, IEEE Transactions on , Volume: 2 , Issue: 2 , June 1992

Pages:111 - 122

[\[Abstract\]](#) [\[PDF Full-Text \(1024 KB\)\]](#) **IEEE JNL**

7 Adaptive entropy coded subband coding of images

Kim, Y.H.; Modestino, J.W.;

Image Processing, IEEE Transactions on , Volume: 1 , Issue: 1 , Jan. 1992

Pages:31 - 48

[\[Abstract\]](#) [\[PDF Full-Text \(1896 KB\)\]](#) **IEEE JNL**

8 Hardware implementation of a color image decoder for remote data access

Quackenbush, S.;

Acoustics, Speech, and Signal Processing, 1990. ICASSP-90., 1990 International Conference on , 3-6 April 1990

Pages:985 - 988 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



PALM INTRANET

Day : Sunday
Date: 1/9/2005
Time: 16:37:06

Inventor Name Search Result

Your Search was:

Last Name = HSU

First Name = CHARLES

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 38 |
|-----------------|------------|--------|------------|---|------------------|
| <u>60171509</u> | Not Issued | 159 | 12/22/1999 | WAVENET: STILL IMAGE COMPRESSION | HSU , CHARLES C. |
| <u>60150018</u> | Not Issued | 159 | 08/20/1999 | NOVEL PREPARATION OF FIBER, L-GLUTAMINE AND A SOY DERIVATIVE FOR THE PURPOSE OF ENHANCEMENT OF ISOFLAVONE BIOAVAILABILITY | HSU , CHARLES C. |
| <u>60135728</u> | Not Issued | 159 | 05/25/1999 | PROFILING AND CATALOGING EXPRESSED PROTEIN TAGS | HSU , CHARLES |
| <u>60106078</u> | Not Issued | 159 | 10/29/1998 | PROGRESSIVE TRANSMISSION OF HISTOGRAM-PRESERVING CODEC | HSU , CHARLES |
| <u>60096291</u> | Not Issued | 159 | 08/12/1998 | EXPRESSED PROTEIN TAGS AND METHODS OF GENERATING THE SAME | HSU , CHARLES |
| <u>60060169</u> | Not Issued | 159 | 09/26/1997 | SYSTEM, METHOD AND MEDIUM FOR INCREASING COMPRESSION OF AN IMAGE WHILE MINIMIZING IMAGE DEGRADATION | HSU , CHARLES C. |
| <u>10808041</u> | Not Issued | 030 | 03/24/2004 | PROFILING AND CATALOGING EXPRESSED PROTEIN TAGS | HSU, CHARLES |
| <u>10642785</u> | Not Issued | 041 | 08/19/2003 | STRUCTURE OF ENGINE EXHAUSTER | HSU, CHARLES |
| <u>10159258</u> | Not Issued | 030 | 06/03/2002 | STRUCTURE AND METHOD FOR IMPROVING METAL HONEYCOMB CORE BODY OF CATALYST CONVERTERS | HSU, CHARLES |
| <u>10159256</u> | Not Issued | 030 | 06/03/2002 | CYLINDRICAL METALLIC STRUCTURE FOR IMPROVING | HSU, CHARLES |

| | | | | | |
|-----------------|----------------|-----|------------|---|----------------------------|
| | | | | CATALYSIS | |
| <u>10080809</u> | <u>6488968</u> | 150 | 02/22/2002 | NOVEL PREPARATION OF FIBER, L-GLUTAMINE AND A SOY DERIVATIVE FOR THE PURPOSE OF ENHANCEMENT OF ISOFLAVONE BIOAVAILABILITY | HSU, CHARLES C. |
| <u>10022203</u> | <u>6660401</u> | 150 | 12/20/2001 | DISPOSITION OF SOLDER FOR HEAT RESISTANT STRUCTURE | HSU, CHARLES |
| <u>09853009</u> | <u>6633426</u> | 150 | 05/10/2001 | OPTICAL-ELECTRICAL MEMS DEVICES AND METHOD | HSU, CHARLES |
| <u>09740961</u> | Not Issued | 071 | 12/21/2000 | WAVE IMAGE COMPRESSION | HSU, CHARLES C. |
| <u>09641751</u> | <u>6375994</u> | 150 | 08/18/2000 | NOVEL PREPARATION OF FIBER, L-GLUTAMINE AND A SOY DERIVATIVE FOR THE PURPOSE OF ENHANCEMENT OF ISOFLAVONE BIOAVAILABILITY | HSU, CHARLES C. |
| <u>09372380</u> | Not Issued | 161 | 08/11/1999 | PROFILING AND CATALOGING EXPRESSED PROTEIN TAGS | HSU , CHARLES |
| <u>09160301</u> | <u>6389176</u> | 150 | 09/25/1998 | SYSTEM, METHOD AND MEDIUM FOR INCREASING COMPRESSION OF AN IMAGE WHILE MINIMIZING IMAGE DEGRADATION | HSU , CHARLES C. |
| <u>09133094</u> | Not Issued | 169 | 08/12/1998 | EXPRESSED PROTEIN TAGS AND METHODS OF GENERATING THE SAME | HSU , CHARLES |
| <u>09002494</u> | Not Issued | 161 | 01/02/1998 | METHOD AND APPARATUS FOR A VISUAL COMMUNICATION NETWORK (V-NET) DEVICE AND SYSTEM | HSU , CHARLES C |
| <u>08663435</u> | <u>5623153</u> | 150 | 06/13/1996 | SUB-QUARTER MICROMETER CHANNEL FIELD EFFECT TRANSISTOR HAVING ELEVATED SOURCE / DRAIN AREAS AND LIGHTLY DOPED DRAINS | HSU , CHARLES CHING-HSIANG |
| <u>08580893</u> | Not Issued | 161 | 12/29/1995 | METHOD AND APPARATUS FOR DISCRETE WAVELET COSINE TRANSFORMATION (DWCT) FOR VIDEO/AUDIO | HSU , CHARLES C. |

| | | | | | |
|-----------------|----------------|-----|------------|---|----------------------------|
| | | | | DATA COMPRESSION | |
| <u>08416168</u> | <u>5646435</u> | 150 | 04/04/1995 | METHOD FOR FABRICATING CMOS FIELD EFFECT TRANSISTORS HAVING SUB-QUARTER MICROMETER CHANNEL LENGTHS WITH IMPROVED SHORT CHANNEL EFFECT CHARACTERISTICS | HSU , CHARLES CHING-HSIANG |
| <u>08416167</u> | <u>5545579</u> | 150 | 04/04/1995 | METHOD OF FABRICATING A SUB-QUARTER MICROMETER CHANNEL FIELD EFFECT TRANSISTOR HAVING ELEVATED SOURCE / DRAIN AREAS AND LIGHTLY DOPED DRAINS | HSU , CHARLES CHING-HSIANG |
| <u>08316213</u> | <u>5842346</u> | 250 | 09/30/1994 | ABSORBENT CARTRIDGE FOR RELEASE MECHANISM POWERED BY CONTACT WITH FLUID | HSU , CHARLES J. |
| <u>07634024</u> | <u>5146778</u> | 150 | 12/26/1990 | OIL AND/OR WATER DETECTION APPARATUS | HSU , CHARLES J. |
| <u>07344699</u> | <u>4994255</u> | 150 | 04/28/1989 | OXIDATION OF FERROUS CHLORIDE DIRECTLY TO CHLORINE IN A FLUID BED REACTOR | HSU , CHARLES KUEI-YUEN |
| <u>07147702</u> | <u>4890485</u> | 250 | 01/25/1988 | A MECHANISM WHICH REACTS TO THE PRESENCE OF OIL AND/OR WATER | HSU , CHARLES J. |
| <u>07141951</u> | Not Issued | 161 | 01/11/1988 | OXIDATION OF FERROUS CHLORIDE DIRECTLY TO CHLORINE IN A FLUID BED REACTOR | HSU , CHARLES KUEI-YEN |
| <u>07130824</u> | Not Issued | 161 | 12/09/1987 | HUMAN CELL LIFE EXTENSION | HSU , CHARLES |
| <u>06941996</u> | Not Issued | 161 | 12/15/1986 | SYSTEM TO DETECT OIL OR WATER LEAKAGES | HSU , CHARLES J. |
| <u>06888693</u> | Not Issued | 161 | 07/24/1986 | OXIDATION OF FERROUS CHLORIDE DIRECTLY TO CHLORINE IN A FLUID BED REACTOR | HSU , CHARLES KUEI-YEN |
| <u>06713375</u> | Not Issued | 163 | 03/19/1985 | RECOVERY OF VANADIUM AND COOPER FROM ADIPIC ACID PRODUCTION | HSU , CHARLES K. C. |
| <u>06652049</u> | <u>4575562</u> | 150 | 09/19/1984 | DIMETHYL ADIPATE FROM BUTADIENE | HSU , CHARLES K. |
| <u>06638822</u> | Not | 161 | 08/08/1984 | CARBONYLATION OF DIENES | HSU , CHARLES |

| | | | | | |
|-----------------|------------|-----|------------|---|-------------------------|
| | Issued | | | | KOU-CHAO |
| <u>06489629</u> | Not Issued | 168 | 04/28/1983 | RECOVERY OF VANADIUM AND COPPER FROM ADIPIC ACID PRODUCTION | HSU , CHARLES K.C. |
| <u>06481220</u> | Not Issued | 168 | 04/01/1983 | RECOVERY OF VANADIUM AND COPPER FROM ADIPIC ACID PRODUCTION | HSU , CHARLES K. C. |
| <u>06357070</u> | 4419236 | 150 | 03/11/1982 | WATER DETECTING OR ABSORBING DEVICE FOR USE IN AND REMOVAL FROM A TANK WITH A LIMITED OPENING | HSU , CHARLES JUI-CHENG |
| <u>06296558</u> | 4448027 | 150 | 08/26/1981 | CARTRIDGE CONTAINING WATER EXPANDABLE MEMBERS | HSU , CHARLES JUI-CHENG |

Inventor Search Completed: No Records to Display.

| | | | |
|---------------------------------|----------------------------------|--------------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name | First Name | <input type="button" value="Search"/> |
| | <input type="text" value="Hsu"/> | <input type="text" value="Charles"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)